LOS ALISOS HOMEOWNER'S ASSOCIATION

Architectural Design Guidelines Landscape Guidelines

&

Appendix A – Approved Plant List Appendix B – Notice of Installation of Antenna or Satellite Dish

Adopted by the Design Review Committee: April 2017

Section 1 - Overview

Community Organization

Every resident of Los Alisos is a member of the Los Alisos Homeowners Association (the "Association"), the entity responsible for the management of all common areas as well as administration of the affairs of the community. The Association is an Arizona nonprofit corporation, and its primary governing document is the Declaration of Covenants, Conditions, Restrictions, Reservations and Easement for Los Alisos (the "CC&R's"). The CC&R's set forth restrictions which govern the community, and by purchasing a home in the community you have agreed to abide by these restrictions.

The Board of Directors (the "Board") is charged with responsibility for overseeing the business of the Association and has a wide range of powers. The Design Review Committee (the "Committee") is established by the Board to review all improvements within Los Alisos, including new construction and modifications to existing properties. Pursuant to Section 11.2 of the CC&R's, the Committee has adopted Architectural Design Guidelines and standards to evaluate proposed construction activities. These Guidelines are an extension of the CC&R's and are to be used in harmony with them.

Committee Mission Statement -- To provide the Los Alisos HOA Board a separate organized body to handle all architectural and landscape reviews and to provide the Homeowners of Los Alisos with fair, consistent, and timely processing of architectural and landscape requests so to further the aesthetics and value of the neighborhood.

Architectural Design Review Process

Pursuant to Section 4.1(a) of the CC&R's, any change, addition, or modification to a site or a building exterior of a residential property requires the prior written approval of the Committee. Residents with proposed changes should contact the Property Management, with whom the Association has contracted for full Association management to obtain the necessary architectural guidelines and submittal documentation.

Simply stated, except as otherwise expressly provided, no improvements, alterations, excavation, grading, landscaping, or other work, which in any way alters a Lot, or the exterior appearance of improvements located thereon, shall be made or done without prior written approval of the Committee. The responsibility of the Committee is to ensure the harmonious, high quality image of Los Alisos is implemented and maintained. Any owner requesting approval of the Committee shall follow the application procedures listed below. Submittals will be reviewed by the Committee and returned to the originator within Thirty (30) days of receipt by the Property Management. Pending approval from the Committee, no construction, installation, addition, alteration, repair, change, or other work shall be performed by any Homeowner, Contractor, or Builder. Once approved by the Committee and approval is received by the Homeowner, all work shall commence as soon as practicable and shall be pursed diligently so that it is completed within sixty (60) days. An additional period of time may be approved by the Committee at the time of issuance.

NOTE: Homeowner's who fail to receive prior written approval by the Committee, when required, and who proceed with changes may be subject to enforcement action, including, but not limited to, being subject to a fine after notice and an opportunity to be heard.

The Committee strongly urges Homeowners not to purchase materials or obtain contracts pending the approval of their request in the event the request is denied or requires Committee modification.

Application Procedure – Landscape and Architectural Design

The Homeowner shall submit a copy of the current Architectural Request Form which may be obtained from the Association's Property Management. Forms are available in both Microsoft Word and Adobe Acrobat PDF format to allow email, FAX, or mail submittal. All submittal forms shall include the following as applicable:

- Submittal form completed and signed.
- Floor plans for each proposed building improvement.
- Elevation Plan showing the finished appearance of the improvement or landscape item(s) in relation to the existing dwelling and property lines.
- Exterior paint color samples.
- Sample roof tiles with list of manufacturer, style, model number and/or color.
- Plot plans for proposed location and dimensions of structures or equipment such as ramadas, gazebos, patio covers, barbeques, fireplaces, play equipment, or any other item or structure allowed by this document.
- Pictures or manufacturer literature defining any materials or items to be considered.
- Landscape plans with plant locations and plant list.
- Name(s) of contractors used and license number

Submit the application and plans to the address or email included in the form.

It is the Homeowner's responsibility to ensure that any proposed construction is coordinated with, and where applicable, approved by all local, county, state, and federal government agencies. The Committee, the Property Management, and the Association assume no responsibility for obtaining these reviews and approvals.

Variances

Pursuant to Section 11.3 of the CC&R's, the Committee has the authority to grant a variance from the requirements of these Guidelines (but not the requirements of the CC&R's). In the event a variance is requested, the following items must be submitted to the Property Management for Committee review and approval:

- A typed letter referencing the address of the home involved, the name of the subdivision, a request that a variance be granted, a description of the variance(s) requested, and the reason for needing the variance(s).
- Any plans, photographs or other visual aids which will help to explain the variance(s) request should be included
- If a landscape variance is requested, a landscape plan should be prepared and submitted which shows the footprint of the house and indicates plant varieties and locations.

The Committee will respond in writing to a request for variance(s) within Thirty (30) calendar days of receipt.

Disclaimer for Liability

The Committee and the Association shall have no liability in connection with or related to approved or disapproved plans, specifications, or improvements. The approval of plans does not mean that judgment is passed on the safety, structural soundness of the improvement, nor its effect upon existing or future drainage. For more information, please see Section 11.5 of the CC&R's.

Waiver

Pursuant to Section 11.6 of the CC&R's, the approval by the Committee of any plans, drawings or specifications for any work done or proposed, or for any other matter requiring the approval of the Committee, shall not be deemed to constitute a waiver of any right to withhold approval of a similar plan, drawing, specification or matter subsequently submitted for approval

Section 2 – Architectural Design Guidelines

A. General Principles

The purpose of the Committee is to ensure consistent application of these Guidelines. The Architectural Design Guidelines promote those qualities in Los Alisos that enhance the attractiveness and functional unity of the community. Those qualities include a harmonious relationship among structures, vegetation, topography, and overall design of the community.

B. Architectural Design Compatibility

The proposed construction must be compatible with the Architectural Design characteristics of the property itself, adjoining properties, and the neighboring setting. Compatibility is defined as harmony in style, scale, material, color, and construction details. In general, any exterior addition or alteration to an existing residence shall be compatible with the southwestern character of the original structure and must be consistent with existing Los Alisos architecture.

C. Building Heights and Scale

Building heights for dwellings shall be one (1) story structures with a maximum height of twenty (24) feet above the finished floor. Additions to homes must be approved by the Committee and shall be consistent in scale with existing architecture as to appear to be original to the home.

D. Building Repairs

Pursuant to Section 4.1(h) of the CC&R's, no building or structure shall be permitted to fall into a state of disrepair. The owner of every home or structure is responsible at all times for keeping the buildings in good condition and adequately painted or otherwise finished. In the event any building or structure is damaged or destroyed, the owner is responsible for immediate repair or reconstruction or for demolishing the damaged building or structure. Roofs must also be kept in good repair at all times.

E. Workmanship

The quality of workmanship evidenced in construction must be equal to, or better than, that of surrounding properties. In addition to being visually objectionable, poor construction practices can cause functional problems and create safety hazards. The Association and the Committee assume no responsibility for the safety or livability of the new construction by virtue of design and workmanship.

F. Antennas

See Satellite Dishes.

G. Awnings

Awnings and shade screens, with exception of sunscreens (see Windows) are prohibited in the front and side yards. The Committee must approve all back yard awnings. Awnings shall be canvas or similar material, of solid color on both sides, desert tan in color or otherwise consistent with the color of the body of the exterior of the home or roof, and should only be installed on rear of the home. All awning submittals must include a drawing with the location of the proposed awning installation, information on the color and design of the proposed awning, and a sample of the material to be used. Owner is responsible for maintaining and repairing all awnings. The Association retains all rights in determining when an awning must be repaired and/or replaced due to fading, tearing, ripping, or any other degradation.

H. Basketball Goals

Front yard basketball goals and all backyard goals visible over the perimeter fence must receive the prior written approval of the Committee. Furthermore, they must adhere to the following guidelines:

- Shall not be attached directly to any residence, garage, or roof.
- Pole and/or mounting fixtures shall be painted to be consistent with the exterior house color.
- Backboard is primarily white, tan, grey, black, or clear (no bright colors).
- All equipment must be constantly maintained. Broken backboards, disfigured or bent rims, ripped or torn nets, chipped and/ or peeling paint, etc. are not acceptable.
- Only nylon or similar cord nets are acceptable. Metal or chains are expressly prohibited.
- Goals shall be of the portable variety or shall be removable from a metal sleeve.
- Front yard goals shall be adjacent to driveway only.
- Additional lighting for night use of equipment is prohibited.
- Back yard goals may be integral part of pool if not visible over solid perimeter walls, shall not exceed height of view fencing, and shall not exceed five (5) feet above adjacent pool deck.
- A small concrete pad may be poured next to driveway to accommodate any approved portable or removable basketball

goal and shall be no bigger than necessary to accommodate the goal's base.

I. Casitas

All casitas must be approved by the Committee and must be constructed using the original builder specifications.

J. Clotheslines

Pursuant to Section 4.1(u) of the CC&R's, clotheslines or other outside facilities for drying clothes are not permitted.

K. Driveways & Walkways

Widening of driveways is not permitted. Driveways and public sidewalks must maintain original concrete color and may not be painted or stained. Driveways, sidewalks, and walkways shall be kept clean and free of debris, rust, oil, and other stains at all times. No basketball court, hopscotch, or other such markings shall be permitted to be painted on driveways. Staining of front patio and front walkways is subject to approval by the Committee and shall be professional and blend with existing landscape.

L. Elevations

No two (2) front elevations that are identical are permitted to be adjacent to one another. This will ensure visual relief and varying aesthetic streetscapes throughout the project. Modifications to an elevation shall be prohibited if it conflicts with this requirement. The Committee must approve all modifications.

M. Exterior Building Material

Finished building materials must be applied to all exterior sides of buildings and structures (final paint or stucco finish). Acceptable materials include stucco masonry and stone consistent with existing Los Alisos architecture and finish material and texture. Acceptable stone veneers are:

Caramel Drystack Ledgestone (CSV 2007) Mist Drystack Ledgestone (CSV 2008)

N. Fences & Hedges

All walls and fences must comply with Section 4.1(x) of the CC&R's. Similarly, all hedges must comply with Section 4.1(c) of the CC&R's. (See also View Fencing or Walls) Wood slats are permitted only as part of a metal frame gate (see Gates) within an approved wall or fence. Hedges on property lines shall not exceed six (6) feet in height. All exterior fences shall remain clear of all vegetation to allow maintenance to be performed as needed. The homeowner is responsible for ensuring that all vegetation (trees, vines, shrubs, etc.) are trimmed and no other obstructions (i.e. rabbit-fencing) prevent access to any exterior portion of the fence or wall.

O. Flags & Flagpoles

Every Owner shall be permitted to install a flagpole on their lot subject to the following reasonable restrictions:

- The flagpole must not exceed the height of the rooftop of the home.
- Only the following flags may be displayed, and such flags must be displayed in a manner consistent with the Federal Flag Code (P.L. 94-344): the United States flag, the Arizona state flag, the flag of the United States Army, Navy, Air Force, Marine Corps, or Coast Guard, the POW/MIA flag, an Arizona Indian Nations flag, or the Gadsden flag.
- The Owner must comply with basic flag etiquette of the Federal Flag Code, including, but not limited to: flag should be lighted or removed at night; flag should be removed during inclement weather; flag should be removed and replaced when it becomes, frayed, damaged or tattered.
- No more than two (2) of the flags noted above may be displayed at any one time. The size of the flag on a flagpole shall be of a reasonable size as determined by the Committee (generally may not exceed 3' x 5' and 2' x 3' is recommended).
- Owners installing flagpoles must take reasonable efforts to mitigate the noise created by the flagpole and all related hardware.
- Illumination of the flag and/or flagpole must be approved in advance by the Committee.
- If the flagpole, or its installation, cause damage to any other Lot or the Common Area, the Owner of the flagpole shall be responsible for all damage caused.
- Prior to installation of a flagpole on any lot, the Owner must submit an application to the Committee requesting approval for installation of the flagpole. The Committee will consider the height of the flagpole, the requested location of the flagpole, the efforts of the owner to mitigate noise created by installation of the flagpole and related hardware, and the request, if any, to illuminate the flag and flagpole. The Committee shall not unreasonably deny a request to install a flagpole, but retains the right to approve the flagpole subject to the above height, location, noise and/or light restrictions.
- Display of the flags listed above shall also be permitted on a bracket mounted on the dwelling.

P. Garages

All homes must have and retain an enclosed garage integrated with the house. Garage doors shall be sectional and windows are

encouraged. Replacement garage doors that differ from the original must be approved by the Committee. Open carports are not permitted. Garage doors should remain closed except when in use.

Q. Gates

Rear yard access gates that are part of an approved wall or fence must have a metal frame and must have wood slats. Gates opening onto common areas are prohibited. All gates must be natural or sealed wood or stained with a brownish toned wood stain. Modification or staining of a gate requires Committee approval.

R. Gutters & Drain Spouts

Gutters and Drain Spouts may be installed on a house only with the prior approval of the Committee, and only if the gutter or drain spout is painted or otherwise finished to be consistent with the color of the house. Any application to the Committee for approval of installation of gutters or drain spouts must include the proposed locations of the installation and the quality of the materials used in the manufacture of the gutters or drain spouts proposed to be installed. Runoff shall be directed onto the homeowner's property and shall not be directly routed to NAOS or adjacent properties.

S. HVAC

Pursuant to Section 4.1(j) of the CC&R's, units may not be installed on any roof or so as to be Visible From Neighboring Property. Generally, units must be ground-mounted, located within the perimeter of the side or rear yard fence, and screened or concealed from view or installed in the attic.

T. Outdoor Fireplaces

Installation, location, and construction of outdoor fireplaces requires advance approval by the Committee. Effective March 23, 2005, outdoor fireplace chimney termination shall be at least two (2) feet above any part of a building within ten (10) feet of the termination. Free-standing outdoor fireplaces may not exceed eight (8) feet height and shall be no closer than ten (10) feet to any building. Outdoor fireplaces must adhere to City of Scottsdale guidelines.

U. Outdoor Heaters

Outdoor gas patio heaters must be a minimum of three (3) feet from perimeter fence.

V. Outdoor Lighting

Any outdoor lighting installed on a Lot or dwelling, subsequent to initial lighting installed by the Builder, must receive advance written approval by the Committee. The use of outside lighting shall adhere to the following:

- Any exterior lighting, fixtures, hardware, supports, poles (of any sort), wiring, etc., must NOT be attached to the rear
 wall/wrought iron portion or perforate the wrought iron surface of the lot, under any circumstances. Any alteration or
 damage to the wrought iron that is determined to be caused by homeowner actions or failure to properly prevent damage
 caused by added lighting or its accompanying hardware may be assessed to the homeowner's account pursuant to Section
 10.2 of the CC&R's.
- Exterior lights shall be ground mounted only, other than patio and security lighting. No lights shall be attached to the rear wall/view fencing.
- Alternative lighting design configurations will be considered by the Design Review Committee based upon lot location, light configuration and position as well as impact on neighboring lots.
- Exterior lighting must be soft and indirect and shall not be directed towards streets, common areas, or neighboring property.
- No colored light bulbs, lenses, or reflections are permitted.
- Low wattage spotlights (not flood) are encouraged.
- All lights shall be screened with walls, plant materials, or other shielding.
- Malibu type lights and other low voltage lighting is acceptable.
- Lighting must comply with any applicable municipal ordinances. It is the homeowner's responsibility to verify that this is the case.
- Holiday lights (See Seasonal & Holiday Lighting/Decorations.

W. Paint & Paint Colors

Painting of new additions and repainting of existing home exterior, walls, etc, must be approved by the Committee prior to the beginning of work, regardless of whether a change in original paint color is being made. Failure to use approved colors will result in homeowner repainting at the homeowner's expense.

- All homes and additions, body and trim, must be painted or repainted only with the following manufacturer colors approved by the Committee.
- Homes should be repainted in their original color (i.e., the original, approved color(s)—not just matching the current color(s) of the home, which likely are faded from the original color(s)), but the color may be changed to one of the other approved colors as long as no two (2) adjacent homes are of the same color. Homeowner must obtain approval of any repainting and the submittal for paint approval should specify if the original color(s) are being used (and identifying what those are) or if a change from the original is being requested.
- No other colors are permitted anywhere on a home, fence, landscape wall, casita, or addition.
- The Committee can assist the homeowner in determining the existing color of a home or in selecting an alternate color from the approved palette. Approved palette is shown below.
- IMPORTANT UPDATE as of JAN 2013: The original schemes 2a, 3a, and 4a are no longer official Dunn-Edwards colors and should be used only when touching up exiting paint. You can have the color made using the Part Number shown but you will not find it on any Dunn-Edwards color swatch. These colors have been replaced by 2b, 3b, and 4b which are very close to original colors but can be viewed on the Dunn-Edwards website or in the stores on their color swatches. So for example, if your home was originally Crock Full (2a) you can repaint it using the new Baked Potato (2b). Also, the Board has approved 2 new additional colors Tuscan Mosaic (5) and Bison Beige (6) to provide some additional variety.

Scheme	Door Color	Body Color	Trim/Pop-Out Color	Manufacturer	Part Number
1	Oak Stain	Hickory	½ Formula Hickory	Dunn-Edwards	DEC759
2a	Oak Stain	Crock Full	½ Formula Crock Full	Dunn-Edwards	DE1053
2b	Oak Stain	Baked	½ Formula Baked Potato	Dunn-Edwards	DEC717
replaces 2a		Potato			
3a	Oak Stain	Thistles	½ Formula Thistles	Dunn-Edwards	DE1054
3b	Oak Stain	Cobblestone	½ Formula Cobblestone	Dunn-Edwards	DE6068
replaces 3a		Path	Path		
4a	Oak Stain	Grand	½ Formula Grand Mariner	Dunn-Edwards	Q1-39D
		Mariner			
4b	Oak Stain	Wood Lake	½ Formula Wood Lake	Dunn-Edwards	DE6075
replaces 4a					
5	Oak Stain	Tuscan	½ Formula Tuscan Mosaic	Dunn-Edwards	DE6208
		Mosaic			
6	Oak Stain	Bison Beige	1/2 Formula Bison Beige	Dunn-Edwards	DEC750

NOTE: Due to the fading over time, color matching an existing paint chip most likely will result in an incorrect color selection. The Committee recommends the Homeowner obtain the specific manufacturer's color above.

X. Process for Homes Identified for Repainting

If your home has been identified as in need of repainting, the Association will pursue the following course of action:

- The Association will send you a violation letter indicating that your home (or a portion thereof) is in need of repainting under Section 4.1.h of the Declaration. Enclosed with the letter will be an Architectural Request Form (the "ARC Form").
- You will have sixty (60) days from the date of the violation letter to return the ARC Form to the Association. The ARC Form is a pre-requisite to painting your home. If you intend to change the color(s) of your home, then you must identify your intended colors for consideration by the Association. If you wish to repaint your home the original, approved color(s) (not just matching the current color(s) of the home, which likely are faded from the original color(s)), then you still must submit the ARC Form to confirm with the Association that you are repainting the original color(s) and identifying what those are. That way, the Association can confirm the original, approved colors are being used.
- If your entire home has been identified as in need of repainting, the Association will provide you with (9) months from the date of the violation letter to complete the repainting. The Association may provide a shorter time frame for compliance if only a portion of your home has been identified as in need of repainting (e.g., fascia, trim, pop- outs, etc.).
- The Association will send you a reminder notice every three (3) months regarding your upcoming deadline to repaint your home.
- If you fail to repaint your home within (9) months from the date of the violation letter (or a shorter time frame if applicable), the Association may pursue its enforcement remedies under the Declaration and/or as allowed by Arizona law. Such remedies include, but are not limited to, imposing monetary penalties against you for non-compliance.

For more information, please consult the "Los Alisos Painting Policy." Please contact Vision Community Management to help you with compliance.

Y. Patio Covers

Overhead screens, shade covers, patio roofs and other similar structures shall be integrated into the design of the home and constructed of materials and colored to be consistent with or complement the structure and shall require approval by the Committee. All visible roofing material must be concrete tile matching the existing dwelling. All patio covers shall be subject to prior approval by the Committee, subject to the following guidelines (effective January 15, 2014):

- Maximum square footage (under roof area) is five-hundred (500) square feet.
- Maximum roof height is eleven (11) feet at the highest point.
- The structure shall not extend to a distance in excess of 40% of the distance from the existing home to the back wall or fence as measured from the outer-most wall of the house.
- The structure shall not extend beyond the existing side walls of the house.
- Any roof tile must also match the tile on the home.
- Lighting of the structure must be approved by the Committee prior to installation.
- Must adhere to all City of Scottsdale codes.

Z. Play Structures

Play structures and other equipment may be erected within the perimeter of the rear/side yards only subject to prior review and approval by the Committee if visible over the perimeter fence, subject to the following guidelines (effective July 18, 2017):

- Structures must be set back a minimum of five (5) feet from any perimeter fence.
- Wood or synthetic wood-like materials must be used for the majority of the structure and must be painted, stained, or be colored to be consistent with or blend with the existing house color or surrounding desert.
- Homeowner may be permitted to install backyard metal play equipment (swing sets, monkey bars, slides, etc.), but only if first approved by the Design Review Committee (DRC). The following minimum guidelines must be met in order for the DRC to consider a metal play equipment application:
- The equipment must be made of the best materials utilizing strong commercial grade/gauge galvanized steel (not aluminum), minimum 10 gauge or better, and oversize hardware (bolts, screws, washers, etc.) must be utilized. Legs and framing are to be made up of a minimum of 2 3/8" galvanized steel (tubing) along with ductile iron swing hangers with clevis for secure chain attachment.
- The equipment must be custom painted with powder coat or equivalent process. Paint colors must be consistent with the exterior color of the homeowner's house. Alternate colors (yellows, greens, etc.) for accessories such as slides and swings will be considered but must meet the approval of the DRC.
- Approval of any metal play equipment remains within the sole and absolute discretion of the DRC.
- Any shade canopy must be solid desert tans.
- No structure shall be permitted to exceed twelve (12) feet above original grade of property, including any shade canopy.
- Maximum height of any deck or platform is to be five (5) feet above ground.
- Requests must include a detailed drawing or photograph, list of materials and specifications, and a dimensional backyard layout. Manufacturer website references are appreciated.
- The Committee will take appearance, height, material, and proximity to neighboring properties into consideration.
- Trampoline safety equipment (netting and support) shall not be visible above perimeter fence.

AA. Pools & Spas

- Above ground pools are not permissible. Exceptions would be for small temporary plastic or inflatable pools as the types utilized by small children.
- Above ground spas are acceptable and shall be setback a minimum of two (2) feet from any perimeter fence.
- In-ground pools and spas do not require approval of the Committee since they require City of Scottsdale permits.
- Perimeter walls on Lots bordering common areas and shared Homeowner Association walls may not be torn down to allow
 access to rear yards. Access must be gained by removing a portion of the front wall on the side of the home. Repairs to the
 wall must be made in a timely fashion and include repairing the wall to match the texture and color of the remaining wall.
- All pool and spa equipment must be screened from view of neighboring property. Any pool equipment visible above the fence line (such as slides, etc.) must be approved in advance by the Committee.
- Backwash water must be contained on the lot and is not be permitted to be emptied in the streets or common areas.

BB. Pool Fencing

As noted above, all walls and fencing must comply with Section 4.1(x) of the CC&R's. The color of removable or temporary pool fencing generally should be consistent with or blend with existing home color.

CC. Ramadas, Gazebos, & Pergolas

Ramadas, gazebos, pergolas, or any other similar permanent structure may be erected in rear/side yards only subject to prior approval by the Committee, subject to the following guidelines (effective March 23, 2005):

- Maximum square footage (under roof area) is three-hundred-twenty (320) square feet.
- Maximum roof height is ten (10) feet at the highest point.
- The structure must be set back a minimum of two (2) feet from any perimeter fence in rear yards and seven (7) feet inside yards as measured from a vertical plane intersecting the furthest point of the structure.
- The structure must be set back a minimum of seven (7) feet from any dwelling as measured from a vertical plane intersecting the furthest point of the structure.
- The structure must be painted or stained with an approved wood stain or be consistent with the house color and be maintained in good condition.
- Any roof tile must also match the tile on the home.
- Lighting of the structure must be approved by the Committee prior to installation.
- Must adhere to all City of Scottsdale codes.

DD. Screen Doors

All screen and/or security doors must be submitted for approval (with brochure) and shall be painted to be consistent with the exterior body color or trim color of the home, or the color of the exterior door. Silver- colored aluminum screen doors are prohibited.

EE. Front Entry Doors

All front entry door replacements must be submitted for approval and include door specifications with submittal. The homeowner will be allowed to deviate from their original door design as long as the replacement door is constructed with quality materials, such as: oak wood, fiberglass, wrought iron, with glass components, etc. Door color shall either be oak stain or an earth tone color that is acceptable to the design review committee.

FF. Window Coverings Criteria

Pursuant to Section 4.1(v) of the CC&R's, permanent draperies or suitable window treatments shall be installed on all front-facing windows within sixty (60) days of occupancy. All windows visible from the street must have customary window treatments that blend with the colors of the home. Exceptions are front door glass, front door transoms, or elevated accent or shower windows. No window coverings shall be newspaper, sheets or reflective materials, including but not limited to, aluminum foil, reflective screens or glass, mirrors or similar type material, shall not be installed or placed upon the outside or inside of any windows. Bright colors are not permitted. No aluminum material or other reflective material(s) may be installed in any window. Bronze, beige, or charcoal sunscreen material may be installed upon receiving the prior written approval of the Committee. The frame or window/sun screens must be consistent with the screen material or the existing window frames.

GG. Seasonal & Holiday Lighting/Decorations

Holiday decorations and lights shall be of reasonable design and magnitude so as not to disrupt neighboring residences and property, and shall not be installed or utilized prior to 30 days before a holiday and shall be removed no later than 15 days following that same holiday. Decorations must be maintained in good repair and not be allowed to encroach on neighboring properties. No amplified music or amplified sound devices are allowed. Furthermore, installation shall not take place prior to 7:00 a.m. or after 11:00 p.m. Additionally, blinking lights and music within displays shall not be left on after 10:00 p.m. each evening.

HH. Storage Sheds

Storage sheds require prior approval of the Committee and are subject to the following guidelines:

- Storage sheds must be setback a minimum of two (2) feet from any perimeter fence as measured from a vertical plane intersecting the furthest point of the structure.
- Sheds may not be visible above the top of any perimeter fence.
- Quality materials and construction shall be required (kits or modular construction only, no "handmade" construction allowed without prior design approval).
- Shed appearance must be consistent with the exterior of the residence including siding, color, and roofing materials.

II. View Fencing

Maintenance of the metal portion of any fence dividing a lot from the common area will be performed by the Association pursuant to Section 4.l(w)(vi) of the CC&R's. Due to damage caused by excessive weight, moisture, and wind-loading, no vegetation of any kind shall be allowed to be attached, growing on, or excessively pushing on or against any metal view-fencing. Wire rabbit-fencing is allowed to be attached if done so on the inside of the fence so that the exterior may be maintained. Any damage to exterior walls or metal view-fencing that is determined to be caused by homeowner actions or failure to properly prevent damage caused by vegetation may be assessed to the homeowner's account pursuant to Section 10.2 of the CC&R's.

JJ. Walls

- All walls must comply with Section 4.1(x) of the CC&R's.
- Rear yard block fencing is required on all lots (unless containing view-fencing) and shall be approximately 6' in height as measured from adjacent ground level on the higher side, unless otherwise approved by the Committee.
- Plans for all new walls or to alter or raise the height of a rear, front, or side (party) wall must be submitted to the Committee for approval and before construction.
- Modifications to party walls shared with adjoining properties must comply with Section 4.1(w) of the CC&R's. or the street shall be stuccoed and painted so as to be consistent throughout the subdivision. Please note that any such walls actually on the boundary between a lot and the common area would be the Association's responsibility to maintain pursuant to Section 4.1(w)(vi).
- All fencing between dwelling units, not facing or adjacent to public right-of-way or open space can be unfinished block, but must be painted the color of the house.
- Copies of City Approvals must be on file with Property Management prior to commencement of construction.
- Garden walls may be a maximum height of 48" and must match the architectural finish, texture, and style of the home. Gates shall not be permitted without approval of the Committee.
- Common walls will not be permitted to be altered or removed to aid in the construction of a pool or construction or placement of any structure on a lot.

KK. Roofing Material

Roof covering materials shall be concrete tile. No composite shingle roofing or shake will be allowed. Replacement tiles or tiles on additions must be consistent in manufacture and color of existing tiles.

LL. Satellite Dishes

Pursuant to Section 4.1(s) of the CC&R's, no antenna which is Visible From Neighboring Property may be installed without prior approval from the Committee. Notwithstanding the foregoing, antennas and satellite dishes governed by the Federal Communications Commission ("FCC") rules (e.g., any satellite dish which is up to one meter in diameter or diagonal measurement, or any antenna on any mast which extends up to twelve (12') in height above the roofline) may be placed, installed, constructed or kept on any lot without the prior approval of the Committee. However, antennas and satellite dishes governed by the FCC rules must still comply with the following regulations:

- No antenna or satellite dish may encroach upon the Common Area or the property of another homeowner.
- The antenna or satellite dish must be shielded from view so as not to be Visible From Neighboring Property to the maximum extent possible (e.g., preferably a location in the rear or rear-side yard) as long as an acceptable signal quality may be received.
- Antennas, satellite dishes, masts and any visible wiring must be painted to match the color of the structure to which they
 are installed, provided the painting does not interfere with acceptable quality signal and does not void the manufacturer's
 warranty.
- The antenna or satellite dish must comply with all applicable city, county and state laws, regulations and codes.
- In order to protect against personal injury and property damage, an antenna or satellite dish may not be placed in a location where it may come into contact with a power line and the antenna must be properly grounded and secured.
- Antennas or satellite dishes may not block or obstruct any driver's view of an intersection or street.
- If an antenna is attached to a mast, the mast height shall be no higher than absolutely necessary to receive acceptable signal quality. In order to protect against personal injury or property damage, masts installed upon a roof may not be installed nearer to the Lot line than the total height of the mast and antenna or in a manner such that it would touch a power line if it fell.
- The homeowner is responsible for all damage caused by or connected with the antenna or satellite dish. The homeowner must hold the Association harmless and indemnify the Association in the event that someone is injured by the antenna or satellite dish. The homeowner shall keep the antenna or satellite dish in good repair so that it does not violate any provision of the CC&R's or other governing documents.
- A homeowner must complete the notification form attached to these guidelines as Appendix B and submit a copy of the completed form to the Association within five business days after installing an antenna allowed pursuant to these rules. If requested by the Association, the owner must establish a mutually convenient time to meet with a representative of the Association to review and discuss the antenna.
- In the event of a violation of these provisions, the Association may bring an action for declaratory relief with the FCC or the Maricopa County Superior Court after notice and an opportunity to be heard. To the extent permitted by the FCC or Court, the Association shall be entitled to levy fines of \$50 per violation and additional fines of \$10 per day if the relevant portion of these provisions is validated and the violation is not corrected within twenty-one days after the validation.
- If an antenna poses a serious, immediate safety hazard, the Association may seek injunctive relief to compel the removal of the antenna. To the extent permitted by applicable law, the FCC rules, and the Association's governing documents, the Association shall be entitled to recover its reasonable attorney's fees, costs and expenses incurred in the enforcement of these provisions.

• If any of these provisions is ruled invalid, the remainder of these provisions shall remain in full force and effect. If the FCC modifies its rules, the modified rules shall be incorporated into these provisions as if fully set forth herein.

MM. Roofing Mounted Equipment & Solar Panels

Pursuant to Section 4.1(j) of the CC&Rs, roof mounted mechanical equipment generally is prohibited. However, the Association recognizes the homeowners' right to install and use solar energy devices under Arizona law, and hereby adopts these Guidelines in order to regulate the placement of solar energy devices. This provision applies only to the types of solar energy devices listed in ARS § 44-1761; other devices must comply with the provisions of Section 4.1(j) of the CC&Rs. If the solar energy device is one of the devices listed in ARS § 44-1761, the placement of the solar energy device must be approved in advance by the Committee. Such solar energy device must comply with the following Guidelines, to the extent that they do not impair the functioning of the device, or adversely affect the cost or efficiency of the device:

- No solar energy device may encroach upon the Common Area or the property of another homeowner.
- A solar energy device must be placed in the back yard or on a portion of the roof facing away from the street so as not to be Visible From Neighboring Property to the maximum extent possible.
- All solar panels should be mounted as close to the roof as possible, should be parallel to roof pitch, and may not contain any reflective or brightly colored surfaces.
- A permit from the City of Scottsdale must accompany the submission for a solar energy device to help ensure that all state, city, and county laws, regulations, ordinances, and codes are complied with.
- The location and color of the panels, plumbing, and mounting hardware should be consistent with immediate roof and/or house/trim color to the maximum extent possible and must be approved by the Committee.
- In order to protect against personal injury and property damage, the solar energy device may not be placed in a location where it may come into contact with a power line and it must be properly grounded and secured.
- Solar energy devices may not block or obstruct any driver's view of an intersection or street.
- Installing homeowner should consider and discuss potential glare issues onto adjacent properties with solar installer prior to installation to avoid nuisances after the solar panels become active. The Committee does not review solar panel submissions for potential glare, due to the numerous potential factors involved and information that is not readily available to the Committee for such review. Any subsequent-to-installation glare or nuisance related to adjacent properties will need to be resolved by the installing homeowner and the adjacent property owner, not by the Association.

The homeowner is responsible for all costs associated with the installation and maintenance of the solar energy device and for all damage caused by or connected with the solar energy device. The homeowner must hold the Association harmless and indemnify the Association in the event that someone is injured by the solar energy device. The homeowner shall keep the solar energy device in good repair so that it does not violate any provision of the CC&R's or other Association governing documents. Any applicable architectural review fee shall be waived for applications for Committee review of solar energy devices.

Notwithstanding anything contained in these provisions, the CC&R's, or any other provision of the Association's governing documents, these provisions shall not be enforced in a way that (1) prevents the installation of a solar energy device; (2) impairs the functioning a solar energy device; (3) restricts the use of a solar energy device; or (4) adversely affects the cost or efficiency a solar energy device. If any provision of these Guidelines on solar energy devices is ruled invalid, the remainder of these Guidelines shall remain in full force and effect. If the Legislature of the State of Arizona modifies ARS § 33-1816 or § 44-1761, the modified laws shall be incorporated into these guidelines as if fully set forth herein.

Section 3 - Landscape Guidelines

To avoid costly removal of unapproved plants or other issues, you MUST submit for approval for all new landscaping, hardscape, or permanent vegetation. Exceptions would be adding to existing gravel; replacing existing approved landscape lighting when damaged; replacement of a dead plant with the same plant (except for trees – reference section (o) below) EXCEPT for Bougainvillea which may NOT be replaced.

A. Fine Grading and Mounding

Pursuant to Section 3.8 of the CC&R's, homeowners are not permitted to make or remove improvements to their lot that improperly impede or impair drainage. Fine grading is a critical aspect of landscaping. Each lot shall be graded such that all storm water will drain away from the home. It is extremely important that this drainage pattern is maintained when preparing the landscape design, especially if mounding or berming is proposed. Because of the difficulty and importance of maintaining the individual lot drainage pattern and creating natural appearing mounding, it is recommended that a Registered Landscape Architect or design professional be consulted. Please note that the Committee does not review submissions for engineering or other technical compliance, whether with respect to drainage or other matters.

B. Hardscape

Any Hardscape items proposed for front yard installation must be approved by the Committee. Materials included in Hardscape are concrete, brick, tile, and wood, etc. Examples of Hardscape items are permanent planters, walkways, retaining walls, decorative walls, fountains, and archways, etc.

C. Header Material

Headers may be used to contain and separate rock ground cover common areas. Brick, concrete and ¹/4" pressure treated redwood is permitted. Headers may not exceed 12" in width and shall be flush where they abut other paved areas. Railroad ties, plastic, aluminum, or redwood header smaller than 1/8" x 4" are prohibited.

D. Irrigation Systems

All landscaped areas should be equipped with an underground irrigation system. A low-pressure drip irrigation system is encouraged for all shrubs and ground cover areas. Daytime watering of shrubs and turf areas should be avoided.

E. Landscape Requirements

In order to develop landscaping consistency throughout the neighborhood, a combination of at least two of the following are required in each front yard: a six (6) foot (minimum) Saguaro and/or 24" box tree.

Additionally, at least six (6) 5 gallon plants are also required in each front yard. In addition, no more than 40% of the landscaped area in the front yards shall be groundcover. These will be selected from the approved plant list. Plants listed as "for rear yards only" should not be used in front yards. Covered open porches, courtyards, low walls, fountains or other features, may be used to supplement and create imaginative landscape designs subject to approval of the Committee. Nonconforming landscaping is subject to removal or conformance if not otherwise approved by the Committee.

No home site shall be permitted to go without landscaping in the front yard and other portions of the lot that are Visible From Neighboring Property for more than ninety (90) days pursuant to Section 4.1(c) of the CC&R's. It is recommended that backyard landscaping be installed at this time too, since construction access to the backyard is often through the front yard.

F. Lighting

See Section 2 – Outdoor Lighting

G. Maintenance

All landscaping shall be maintained in a neat and attractive condition consistent with the original landscaping plans. Minimum maintenance requirements include watering, mowing, edging, pruning, removal and replacement of dead or dying plants, removal of weeds and noxious grasses, and removal of trash.

H. NAOS (Natural Area Open Space)

No homeowner shall be permitted to plant, prune, remove, or place any items in the NAOS areas. The City of Scottsdale requires that NAOS be left natural, and it tightly regulates the circumstances under which any changes can be made.

Any plants or materials placed by homeowners in the NAOS may be removed without notice, and the homeowner may be charged the cost of such removal. If NOAS conditions exist that a homeowner believes may pose a health or safety hazard, the homeowner should contact the Property Management. If the Property Management and the Board agree, the Board may consult with the City of Scottsdale and have the situation taken care of by the HOA's landscaping contractor.

I. Plant List (Approved)

See Appendix A at the rear of this document for the list of approved plants.

J. Plant List (Prohibited)

The following plants are prohibited on any Lot:

- Any species of tree or shrub with a mature height above 25 feet tall
- All Pines, Cypress, Cedar or Juniper
- All Palm Trees (except rear yard only and whose mature size does not exceed perimeter fence)
- All Fruit Trees (except miniature varieties whose mature size does not exceed perimeter fence)
- Olive Trees
- Mexican Palo Verde
- Oleanders
- Fountain Grass
- Common Bermuda Grass
- Desert Broom
- Bougainvillea
- Any dead plants of these types may NOT be replaced with a new plant of that type. Instead, any replacement must be with an approved plant. Please note that all plants must comply with Section 4.1(y) of the CC&Rs and must be submitted in writing to the Design Review Committee and must be approved prior to installation.
- Any plants or trees noted in this section that are existing in back yards and were planted without prior approval from the Design Review Committee are considered non-compliant. Without exception, should damage be caused to adjacent/shared walls, perimeter walls or structures, by a non-compliant tree, palm or plant, die owner of the lot containing the prohibited tree, palm or plant will bear full financial responsibility for the necessary repairs to return any wall or other structure to its original condition. Any new installation of the species noted on die above list from June 1, 2016 forward will be subject to required removal of prohibited tree, palm or plant, immediately. In addition, the homeowner shall immediately comply with a written request from the Design Review Committee or Board of Directors for removal of a prohibited species. Lack of action on the part of an owner may result in the DRC or Board pursuing the removal of the non-compliant tree, palm or plant by a third party, with the expense being the full financial responsibility of the lot owner.

K. Potted Plants

Plants not on the Approved Plant List such as ornamental flowers, cactus arrangements, etc. are permitted if potted in moveable ceramic, ceramic-like, concrete, concrete-like, or similar pots or saucers that are of natural tones and colors.

L. Rock and Ground Cover

Rock ground cover may be decomposed granite or other natural rock material approved by the Committee. All bare earth must be covered.

Decomposed Granite

Decomposed granite in the front yard or areas visible from the street must be earth toned in color. Acceptable colors include: Amber, Gold, Brown and Tan. Artificially colored rocks (blue, green, white, pink, or other non-earth tones) are not permitted. Only 1", 3/4", or 1/2" minus or screened sizes are acceptable. All decomposed granite shall be spread a minimum of 2" deep, and should be treated with pre- emergent weed control at regular intervals to retard weed growth.

Boulders

Only granite boulders of a color similar to the indigenous rock of Arizona are allowed. They must be buried with 1/3 the diameter below grade.

River Run Rock

River run rock shall be 3" to 8" in diameter. Not more than 10% of the front yard landscape area may be river run rock.

M. Turf (Grass Areas)

No turf areas are permitted, except within enclosed rear yard areas. Turf areas are required to be contained by continuous walkways, headers, or decorative walls. Turf areas may not be Common Bermuda Grass.


N. Water Features, Statuary, Ornamental Items, Etc.

- All visible water features must be submitted for prior approval by the Committee.
- Water features, fountains, statuary, etc. not exceeding height of perimeter fence or otherwise Visible From Neighboring Property are permitted within rear/side yard areas and do not require submittal to the Committee..
- Water features will be permitted in the front yard only if the feature is setback a minimum of 6' from the sidewalk.
- Water features shall be installed in a tasteful and professional manner.
- It is required that water features be chlorinated.
- No figurines, statues, or shrines are permitted in front yards unless screened from view of the street.
- All functional and/or decorative items must be approved before being placed in the front yard or in rear yards when Visible From Neighboring Property.
- Statuary must be of southwestern in style, earth tones, no brightly painted finishes, quantity not to exceed three (3), and height not to exceed twenty-four (24) inches.

O. Location of Trees Adjacent to Walls. View-Fencing, and Property Lines

Any new or replacement tree shall not be planted adjacent to any lot wall or property line any closer than ½ the diameter of the standard mature crown of the species to minimize overhang onto the adjacent property or NAOS. In no circumstance shall a new or replacement tree be planted any closer than 5 feet to an adjacent wall, view-fencing, or property line (see below). Existing trees are exempt unless replaced. All trees planted near adjacent walls, view-fencing, and property lines must include setback dimensions on the landscape plan. Furthermore, please note that any trees or plants that do not comply with Section 4.1(y) of the CC&R's may need to be pruned or removed.

Any trees planted disregarding the restrictions set forrth in Section 3, (o) represent violations and are non-compliant. While no demand is being made at this time to remove them as of June 1, 2016 tl1e lot owners of those trees or palms are responsible for any damage(s) caused to perimeter walls, shared walls or structures due to continued improper, unapproved placement. The Lot owner will be fully financial responsible for all costs associated with returning a shared wall, perimeter wall or any other structure to its original condition.



Los Alisos Combined Plant List

Botanical Name	Common Name	Section	Sub-Section	Source
Abutilon Palmeri	Indian Mallow		Large Shrubs	Guidelines
Acacia Greggii	Catclaw Acacia	Indigenous	Trees	CCRs
Acacia Greggii	Catclaw Acacia		Trees	Guidelines
Acacia Redolens	Desert Carpet	Non-Indigenous	Shrub/Ground Cover	CCRs
Acacia Redolens	Desert Carpet Century Plant		Medium Small Shrubs	Guidelines
Acacia Redolens	Prostrate Acacia		Medium Small Shrubs	Guidelines
Acacia Smallii	Sweet Acacia	Non-Indigenous	Trees	CCRs
Acacia Smallii	Sweet Acacia		Trees	Guidelines
Acacia Willardiiana	Palo Blanco	Non-Indigenous	Trees	CCRs
Acacia Willardliana	Palo Blanco		Trees	Guidelines
Agave	Agave		Medium Small Shrubs	Guidelines
Agave Americana	Century Plant			Front Catalog
Agave Americana	Century Plant	Non-Indigenous	Cacti and Succulents	CCRs
Agave Americana v. Marginata	Variegated Century Plant	Non-Indigenous	Cacti and Succulents	CCRs
Agave Deserti	Desert Agave		Cacti / Accents	Guidelines
Agave Geminflora	Twin-Flowered Agave	Non-Indigenous	Cacti and Succulents	CCRs
Agave Parryi	Parry's Agave	Non-Indigenous	Cacti and Succulents	CCRs
Agave Parryi V. Huachuensis	Parry's Agave		Cacti / Accents	Guidelines
Agave Victoriae-Reginae	Queen Victoria Agave	Non-Indigenous	Cacti and Succulents	CCRs
Agave Vilmoriniana	Octopus Agave	Non-Indigenous	Cacti and Succulents	CCRs
Aloe Barbadensis	Medicinal Aloe	Non-Indigenous	Cacti and Succulents	CCRs
Aloe Species	Aloe		Cacti / Accents	Guidelines
Alyogyne Huegilii	Blue Hibiscus		Large Shrubs	Guidelines
Ambrosia Ambrosioides	Canyon Ragweed		Medium Small Shrubs	Guidelines
Ambrosia Deltoidea	Triangle Leaf Bursage	Indigenous	Shrub/Ground Cover	CCRs
Ambrosia Deltoidea	Triangle Bursage			Front Catalog
Ambrosia Deltoidea	Bursage		Medium Small Shrubs	Guidelines
Antigonon Leptopus	Queen's Wreath		Vines	Guidelines
Aristidda Purpurea	Purple Three Awn	Non-Indigenous	Shrub/Ground Cover	CCRs
Aristidda Purpurea	Purple Three Awn		Medium Small Shrubs	Guidelines
Asclepias Subulata	Desert Milkweed		Cacti / Accents	Guidelines
Atriplex Canescens	Four Wing Saltbush	Non-Indigenous	Shrub/Ground Cover	CCRs
Atriplex Canescens	Four Wing Saltbush		Medium Small Shrubs	Guidelines
Baccharis 'Centennial'	Centennial Baccharis	Non-Indigenous	Shrub/Ground Cover	CCRs
Baccharis Centenial	Dwarf Coyote Bush		Medium Small Shrubs	Guidelines
Baileya Multiradiata	Desert Marigold	Indigenous	Shrub/Ground Cover	CCRs
Baileya Multiradiata	Desert Marigold	Non-Indigenous	Shrub/Ground Cover	CCRs
Baileya Multiradiata	Desert Marigold		Medium Small Shrubs	Guidelines

Berlandiera Lyrata	Chocolate Flower	Non-Indigenous	Shrub/Ground Cover	CCRs
Berlandiera Lyrata	Chocolate Flower		Medium Small Shrubs	Guidelines
Buddleia Marrubifolia	Wooly Butterfly Bush		Large Shrubs	Guidelines
Buddleja Marrubifolia	Wooly Butterfly Bush	Non-Indigenous	Shrub/Ground Cover	CCRs
Cactaceae Pachycereus Schottii	Senita Cactus		Cacti / Accents	Guidelines
Caesalpinia Cacalaco	Cacalaco	Non-Indigenous	Trees	CCRs
Caesalpinia Cacalaco	Cacalaco		Trees	Guidelines
Caesalpinia Gillesii	Mexican Yellow Bird of Paradis	e		Front Catalog
Caesalpinia Mexicana	Mexican Bird of Paradise		Trees	Guidelines
Caesalpinia Mexicana	Mexican Bird of Paradise		Large Shrubs	Guidelines
Caesalpinia Pulcherrima	Red Bird of Paradise		Large Shrubs	Guidelines
Caliandra Eriophylla	Fairy Duster			Front Catalog
Calliandra Californica	Baja Fairy Duster	Indigenous	Shrub/Ground Cover	CCRs
Calliandra Eriophylla	Native Fairy Duster	Indigenous	Shrub/Ground Cover	CCRs
Calliandra Eriophylla	Pink Fairy Duster		Medium Small Shrubs	Guidelines
Calliandre Californica	Red Fairy Duster		Large Shrubs	Guidelines
Canotia Holacantha	Crucifixion Thorn		Trees	Guidelines
Carnegia Gigantea	Saguaro			Front Catalog
Carnegiea Gigantea	Saguaro	Indigenous	Cacti and Succulents	CCRs
Carnegiea Gigantea	Saguaro		Cacti / Accents	Guidelines
Cassia Artemisioides	Feathery Classic	Non-Indigenous	Shrub/Ground Cover	CCRs
Cassia Artemisioides	Feathery Classic		Medium Small Shrubs	Guidelines
Cassia Nemophilla	Desert Cassia		Large Shrubs	Guidelines
Cassia Oligophylla	Outback Cassia		Medium Small Shrubs	Guidelines
Cassia Phyllodinea	Silvery Cassia	Non-Indigenous	Shrub/Ground Cover	CCRs
Cassia Phyllodinea	Silvery Cassia		Medium Small Shrubs	Guidelines
Celtis Pallida	Desert Hackberry	Indigenous	Trees	CCRs
Celtis Pallida	Desert Hackberry		Trees	Guidelines
Celtis Pallida	Desert Hackberry		Large Shrubs	Guidelines
Cercidium Floridum	Blue Palo Verde	Indigenous	Trees	CCRs
Cercidium Floridum	Blue Palo Verde		Trees	Guidelines
Cercidium Microphyllum	Native Foothill Palo Verde	Indigenous	Trees	CCRs
Cercidium Microphyllum	Foothill Palo Verde		Trees	Guidelines
Cercidium Praecox	Palo Brea	Non-Indigenous	Trees	CCRs
Cercidium Praecox	Cacalaco		Trees	Guidelines
Cercidium Praecox	Palo Brea		Trees	Guidelines
Cereus Repandus	Peruvian Monstrose Apple			Front Catalog
Chilopsis Linearis	Desert Willow	Non-Indigenous	Trees	CCRs
Chrysactinia Mexicana	Damianita		Medium Small Shrubs	Guidelines
Cissus Trifoliata	Native Grape Ivy		Vines	Guidelines

Clilopsis Linearis	Desert Willow		Trees	Guidelines
Cooperia Drummondii	Rainlily		Medium Small Shrubs	Guidelines
Cylindropuntia Acanthocarpa	Buckhorn Cholla			Front Catalog
Dalea Bicolor	Monterrey Blue Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dalea Bicolor	Monterrey Blue Dalea Medium Small Shrubs		Guidelines	
Dalea Capitata	Sierra Gold Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dalea Capitata 'Sierra Gold'	Sierra Gold Dalea		Medium Small Shrubs	Guidelines
Dalea Dorycnioides	Cerro Azul Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dalea Dorycnioides	Cerro Azul Dalea		Medium Small Shrubs	Guidelines
Dalea Frutescens	Sierra Negra Black Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dalea Frutescens 'Sierra Negra	Sierra Negra Dalea		Medium Small Shrubs	Guidelines
Dalea Lutea	Sierra Moonrise Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dalea Lutea	Sierra Moonrise Dalea		Medium Small Shrubs	Guidelines
Dalea Pulchra	Indigo Bush		Medium Small Shrubs	Guidelines
Dalea Vericolory Sessilis	Mountain Delight Dalea		Medium Small Shrubs	Guidelines
Dalea Versicolor v. Sessilis	Mountain Delight Dalea	Non-Indigenous	Shrub/Ground Cover	CCRs
Dasylirion Acrotriche	Green Desert Spoon		Cacti / Accents	Guidelines
Dasylirion Species	Desert Spoon	Non-Indigenous	Cacti and Succulents	CCRs
Dasylirion Wheeleri	Desert Spoon		Cacti / Accents	Guidelines
Dodonaea Viscosa	Hopbush			Front Catalog
Dodonaea Viscosa	Hopbush		Large Shrubs	Guidelines
Dyssodia Pentachaeta	Dyssodia		Medium Small Shrubs	Guidelines
Echinocactus Engelmannii	Englemann's Hedgehog	Indigenous	Cacti and Succulents	CCRs
Echinocereus Engelmannii	Hedgehog Cactus			Front Catalog
Echinocereus Engelmannii	Engelmann's Hedgehog		Cacti / Accents	Guidelines
Echinopsis Candicans	Argentine Giant			Front Catalog
Encelia Farinosa	Brittle Bush	Indigenous	Shrub/Ground Cover	CCRs
Encelia Farinosa	Brittle Bush			Front Catalog
Encelia Farinosa	Brittlebush		Medium Small Shrubs	Guidelines
Ephedra Species	Mormon Tea	Non-Indigenous	Shrub/Ground Cover	CCRs
Ephedra Trifurca	Mormon Tea		Large Shrubs	Guidelines
Eremophila Glabra	Emu Bush		Medium Small Shrubs	Guidelines
Ericameria Laricifolius	Turpentine Bush		Medium Small Shrubs	Guidelines
Ericameria Lariscifolius	Turpentine Bush	Indigenous	Shrub/Ground Cover	CCRs
Eriogonum Fasciculatum	Flattop Buckwheat	Non-Indigenous	Shrub/Ground Cover	CCRs
Eriogonum Fasciculatum	Buckwheat		Medium Small Shrubs	Guidelines
Eriogonum Wrightii	Wright's Buckwheat	Non-Indigenous	Shrub/Ground Cover	CCRs
Eriogonum Wrightii	Wright's Buckwheat		Medium Small Shrubs	Guidelines
Euphorbia Resinifera	Morrocan Mound			Front Catalog
Euphorbia Rigida	Gopher Spurge			Front Catalog

Euphorbia Royleana	Sullu Spurge			Front Catalog
Euphorbia Tirucali	Fire Stick			Front Catalog
Fallugia Paradoxa	Apache Plume	Non-Indigenous	Shrub/Ground Cover	CCRs
Fallugia Paradoxa	Apache Plume	<u> </u>	Medium Small Shrubs	Guidelines
Ferocactus Wislizeni	SW Barrel			Front Catalog
Ferocactus Wislizennii	Fish Hook Barrel		Cacti / Accents	Guidelines
Ferocacus Wislizenii	Fishhook Barrel	Indigenous	Cacti and Succulents	CCRs
Ficus Pumila	Fig Vine	3	Vines	Guidelines
Fleabane	Erigeron Species 'Profusion'		Medium Small Shrubs	Guidelines
Fouquieria Splendens	Ocotillo	Indigenous	Cacti and Succulents	CCRs
Fouquieria Splendens	Ocotillo			Front Catalog
Fouquieria Splendens	Ocotillo		Cacti / Accents	Guidelines
Fraxinus Velutina	Arizona Ash	Non-Indigenous	Trees	CCRs
Fraxinus Velutina	Arizona Ash		Medium Small Shrubs	Guidelines
Gaura Lindheimeri	Gaura		Medium Small Shrubs	Guidelines
Gutierrezia Sarothrae	Snakeweed		Medium Small Shrubs	Guidelines
Hesperaloe Funifera	Giant Heperaloe	Non-Indigenous	Cacti and Succulents	CCRs
Hesperaloe Funifera	Coahuilan Hesperaloe		Cacti / Accents	Guidelines
Hesperaloe Parviflora	Red Hesperaloe		Cacti / Accents	Guidelines
Hesperaloe Paryiflora 'Red'	Red Yucca	Non-Indigenous	Cacti and Succulents	CCRs
Hesperaloe Paryiflora 'Yellow'	Yellow Yucca	Non-Indigenous	Cacti and Succulents	CCRs
Hesperaloe Paryiflora 'Yellow'	Yellow Yucca		Cacti / Accents	Guidelines
Hesperaloe Spp.	Bell Flower Hesperaloe	Non-Indigenous	Cacti and Succulents	CCRs
Hesperaloe Spp.	Bell Flower Hesperaloe		Cacti / Accents	Guidelines
Hymenoxis Acaulis	Angelitia Daisy		Medium Small Shrubs	Guidelines
Hymenoxys Acaulis	Angelita Daisy	Non-Indigenous	Shrub/Ground Cover	CCRs
Hyptis Emoryi	Desert Lavender	Non-Indigenous	Shrub/Ground Cover	CCRs
Hyptis Emoryi	Desert Lavender		Large Shrubs	Guidelines
Justicia California 'Yellow'	Yellow Chuparosa	Non-Indigenous	Shrub/Ground Cover	CCRs
Justicia Californica	Chuparosa	Indigenous	Shrub/Ground Cover	CCRs
Justicia Californica	Chuparosa			Front Catalog
Justicia Californica	Chuparosa		Large Shrubs	Guidelines
Justicia Candicans	Red Justicia	Non-Indigenous	Shrub/Ground Cover	CCRs
Justicia Ovata (Candicans)	Red Justica		Medium Small Shrubs	Guidelines
Kroenleinia Grusonii	Golden Barrel			Front Catalog
Lady Bank Rose	Lady Bank Rose		Vines	Guidelines
Lantana Camara	Bush Lantana		Medium Small Shrubs	Guidelines
Lantana Montevidensis	Trailing Lantana		Medium Small Shrubs	Guidelines
Larra Tridentata	Creosote Bush	Indigenous	Shrub/Ground Cover	CCRs
Larrea Tridentata	Creosote			Front Catalog

Larria Tridentata	Creosote Bush		Large Shrubs	Guidelines
Leucophyllum Frutescens	Texas Sage			Front Catalog
Leucophyllum Laevigatum	Chihuhuan Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Leucophyllum Laevigatum	Chihuahuan Sage		Large Shrubs	Guidelines
Leucophyllum Langmaniae	Rio Bravo Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Leucophyllum Langmaniae 'Rio	Rio Bravo Sage		Large Shrubs	Guidelines
Leucophyllum Pruinosum 'S.B.'	Sierra Bouquet Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Leucophyllum Pruinosum S.B.	Sierra Bouquet Sage		Large Shrubs	Guidelines
Leucophyllum Revoltum H.S.	Houdini Sage		Large Shrubs	Guidelines
Leucophyllum Revolutum 'H.S.'	Houdini Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Leucophyllum Revolutum 'S.M.I	Sierra Magic Mix Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Leucophyllum Revolutum S.M.M	Sierra Magic Mix Sage		Large Shrubs	Guidelines
Lophocereus Schottii	Totem Pole			Front Catalog
Lotus Rigidus	Deer Vetch		Medium Small Shrubs	Guidelines
Lycium Andersonii	Desert Wolfberry	Indigenous	Shrub/Ground Cover	CCRs
Lycium Andersonii	Desert Wolfberry		Medium Small Shrubs	Guidelines
Lycium Fremontii	Fremont Lycium		Large Shrubs	Guidelines
Lysiloma Thornberi	Desert Fern	Non-Indigenous	Trees	CCRs
Lysiloma Thornberi	Desert Fern		Trees	Guidelines
Macfadyena Unguis-Cati	Cat's Claw Vine		Vines	Guidelines
Mammillaria Microcarpa	Pincushion Cactus		Cacti / Accents	Guidelines
Mascagnia Macroptera	Yellow Orchid Vine		Vines	Guidelines
Melampodium Leucanthum	Blackfoot Daisy	Indigenous	Shrub/Ground Cover	CCRs
Melampodium Leucanthum	Blackfoot Daisy		Medium Small Shrubs	Guidelines
Muhlenbergia Rigens	Deer Grass	Non-Indigenous	Shrub/Ground Cover	CCRs
Muhlenbergia Rigens	Deer Grass		Medium Small Shrubs	Guidelines
Muhlenbergia Rigida 'Nashville'	Nashville Grass		Medium Small Shrubs	Guidelines
Myoporum Parvifolium	Myoporum	Non-Indigenous	Shrub/Ground Cover	CCRs
Myoporum Parvifolium	Myoporum		Medium Small Shrubs	Guidelines
Myoporum Parvifolium 'Pink'	Pink Myoporum	Non-Indigenous	Shrub/Ground Cover	CCRs
Myoporum Parvifolium 'Pink'	Pink Myoporum		Medium Small Shrubs	Guidelines
Myrtillocactus Geometrizans	Garmbullo			Front Catalog
Nolina Microcarpa	Bear Grass	Non-Indigenous	Shrub/Ground Cover	CCRs
Nolina Microcarpa	Bear Grass		Medium Small Shrubs	Guidelines
Obtus Follia	Greythorn		Large Shrubs	Guidelines
Oenothera Berlandieri	Mexican Evening Primrose		Medium Small Shrubs	Guidelines
Oenothera Caespitosa	White Evening Primrose	Non-Indigenous	Shrub/Ground Cover	CCRs
Oenothera Caespitosa	Evening Primrose		Medium Small Shrubs	Guidelines
Oenothera Speciosa	Mexican Evening Primrose	Non-Indigenous	Shrub/Ground Cover	CCRs
Olnea Tesota	Ironwood Tree			Front Catalog

Olneya Tesota	Ironwood	Indigenous	Trees	CCRs
Olneya Tesota	Ironwood	-	Trees	Guidelines
Opuntia Acanthocarp	Buckhorn Cholla		Cacti / Accents	Guidelines
Opuntia Bigelloyii	Teddy Bear Cholla	Indigenous Cacti and Succulents		CCRs
Opuntia Bigelovii	Teddy Bear	3	Cacti / Accents	Guidelines
Opuntia Engelmannii	Engelmann's Prickly Pear	Indigenous	Cacti and Succulents	CCRs
Opuntia Engelmannii	Engelmann's Prickly Pear			Front Catalog
Opuntia Engelmannii	Engelmann's Prickly Pear		Cacti / Accents	Guidelines
Opuntia Fulgida	Chainfruit Cholla	Indigenous	Cacti and Succulents	CCRs
Opuntia Fulgida	Chainfruit Cholla	geee	Cacti / Accents	Guidelines
Opuntia Santa Rita	Santa Rita Prickly Pear			Front Catalog
Opuntia Veriscolor	Staghorn		Cacti / Accents	Guidelines
Opuntia Versicolor	Staghorn Cholla	Indigenous	Cacti and Succulents	CCRs
Pachycereus Marginata	Mexican Fence Post			Front Catalog
Parkinsonia Desert Museum	Desert Museum Palo Verde			Front Catalog
Parkinsonia Florida	Blue Paloverde			Front Catalog
Penstemon Bacchharifolius	Del Rio Penstemon	Non-Indigenous	Shrub/Ground Cover	CCRs
Penstemon Bacchharifolius	Del Rio Penstemon	Non-maigenous	Medium Small Shrubs	
Penstemon Catcni Parryi	Firecracker/Parry's Penstemon	Indigenous	Shrub/Ground Cover	CCRs
Penstemon Clevelandii	Pink Flowers Penstemon	Non-Indigenous	Shrub/Ground Cover	CCRs
Penstemon Clevelandii	Pink Flowers Penstemon	14011-IIIaigeiioas	Medium Small Shrubs	
Penstemon Eatoni	Red Flowers Penstemon	Non-Indigenous	Shrub/Ground Cover	CCRs
Penstemon Eatonnii	Firecracker Penstemon	TVOIT III alige II ous	Medium Small Shrubs	
Penstemon Parryi	Parry's Penstemon		Medium Small Shrubs	
Penstemon Pseudospectabillis	Desert Penstemon		Medium Small Shrubs	
Penstemon Superbus	Superb Penstemon		Medium Small Shrubs	
Pithecellobium Flexicaule	Texas Ebony	Non-Indigenous	Trees	CCRs
Pithecellobium Flexicaule	Texas Ebony	14011 mangements	Trees	Guidelines
Pithecellobium Mexicana	Mexican Ebony	Non-Indigenous	Trees	CCRs
Pithecollobium Mexicana	Mexican Ebony	Tton malgoneas	Trees	Guidelines
Platanus Wrightii	Arizona Sycamore	Non-Indigenous	Trees	CCRs
Platanus Wrightii	Arizona Sycamore	3.3.	Medium Small Shrubs	
Plumbago Scandens	Summer Snow	Non-Indigenous	Shrub/Ground Cover	CCRs
Plumbago Scandens	Summer Snow	J : 12 2 2	Medium Small Shrubs	
Podranea Ricasoliana	Pink Trumpet Vine		Vines	Guidelines
Prosopis Alba	Thornless Mesquite		Trees	Guidelines
Prosopis Alba 'Colorado'	Thornless Mesquite	Non-Indigenous	Trees	CCRs
Prosopis Chilensis	Chilean Mesquite	Non-Indigenous	Trees	CCRs
Prosopis Chilensis	Chilean Mesquite		Trees	Guidelines
Prosopis Pubescens	Fremont Screwbean	Non-Indigenous	Trees	CCRs

Prosopis Pubescens	Fremont Screwbean		Trees	Guidelines
Prosopis Velutina	Native Mesquite	Indigenous Trees		CCRs
Prosopis Velutina	Velvet Mesquite		Trees	Guidelines
Psilotrophe Species	Paperflower	Medium Small Shrubs		Guidelines
Pyracantha Varieties	Pyracantha		Vines	Guidelines
Rosmarinus Varieties	Rosemary		Medium Small Shrubs	Guidelines
Ruellia Brittoniana 'Katie'	Ruellia	Non-Indigenous	Shrub/Ground Cover	CCRs
Ruellia Brittoniana 'Katie'	Ruellia		Medium Small Shrubs	Guidelines
Ruellia Peninsularis	Desert Ruellia		Medium Small Shrubs	Guidelines
Salvia Chamaedryoides	Mexican Blue Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Chamaedryoides	Mexican Blue Sage		Medium Small Shrubs	Guidelines
Salvia Clevelandii	Chaparral Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Clevelandii	Chaparral Sage		Medium Small Shrubs	Guidelines
Salvia Coccinea	Scarlet Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Coccinea	Scarlet Sage		Medium Small Shrubs	Guidelines
Salvia Coccinea V. Bicolor	Peaches and Cream		Medium Small Shrubs	Guidelines
Salvia Cocinea v. Bicolor	Peaches and Cream	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Dorrii v. Dorrii	Desert Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Dorrii V. Dorrii	Desert Sage		Medium Small Shrubs	Guidelines
Salvia Farinaceae	Mealy Cup Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Farinaceae	Mealy Cup Sage		Medium Small Shrubs	Guidelines
Salvia Greggii	Sierra Linda Sage	Non-Indigenous	Shrub/Ground Cover	CCRs
Salvia Greggii	Autumn Sage		Medium Small Shrubs	Guidelines
Salvia Leucantha	Mexican Bush Sage		Medium Small Shrubs	Guidelines
Santalina Varieties	Santalina		Medium Small Shrubs	Guidelines
Senna Covesii	Desert Senna		Medium Small Shrubs	Guidelines
Senna Wislizenii	Shrubby Senna	Indigenous	Shrub/Ground Cover	CCRs
Senna Wislizenil	Shrubby Senna		Large Shrubs	Guidelines
Simmondsia Chinensis	Jojoba	Indigenous	Shrub/Ground Cover	CCRs
Simmondsia Chinensis	JoJoba			CCRs
Simmondsia Chinensis	Jojoba		Large Shrubs	Guidelines
Sophora Secundiflora	Texas Mountain Laurel	Non-Indigenous	Trees	CCRs
Sophora Secundiflora	Texas Mountain Laurel		Large Shrubs	Guidelines
Sophora Secuniflora	Texas Mountain Laurel		Trees	Guidelines
Sphaeralcea Ambigua	Globemallow	Indigenous	Shrub/Ground Cover	CCRs
Sphaeralcea Ambigua	Louis Hamilton Mallow	Non-Indigenous	Shrub/Ground Cover	CCRs
Sphaeralcea Ambigua	Globe Mallow			CCRs
Sphaeralcea Ambigua	Globemallow		Medium Small Shrubs	Guidelines
Stachy Coccinea	Betany		Medium Small Shrubs	Guidelines
Stenocereus Thurber	Organ Pipe			CCRs

Tagetes Lemmoni	Mt. Lemmon Marigold		Large Shrubs	Guidelines
Tagetes Lemoni	Mt. Lemmon Marigold	Non-Indigenous	Shrub/Ground Cover	CCRs
Tagetes Lucida	Licorice Marigold	Non-Indigenous	Shrub/Ground Cover	CCRs
Tagetes Lucida	Licorice Marigold	Medium Small Shrubs		Guidelines
Tecoma Stans	Yellowbells		Large Shrubs	Guidelines
Tecoma Stans v. Angustata	Yellow Bells	Non-Indigenous	Shrub/Ground Cover	CCRs
Tecoma Stans v. Angustata	Yellowbells		Large Shrubs	Guidelines
Tecoma Stans v. Stans	Yellow Bells	Non-Indigenous	Shrub/Ground Cover	CCRs
Teucrium Chamaedrys	Prostrate Germander	Non-Indigenous	Shrub/Ground Cover	CCRs
Teucrium Chamaedrys	Prostrate Germander		Medium Small Shrubs	Guidelines
Trichocereus Pacanoi	San Pedro Cactus			CCRs
Tridens Pulchellus	Fluffgrass		Medium Small Shrubs	Guidelines
Trixis Californica	Trixis		Medium Small Shrubs	Guidelines
Vanquelinia Californica	Arizona Rosewood		Large Shrubs	Guidelines
Verbena Bipinnatifida	Native Verbena		Medium Small Shrubs	Guidelines
Verbena Gooddingii	Goodding Verbena	Non-Indigenous	Shrub/Ground Cover	CCRs
Verbena Goodingii	Gooding Yerbena	Indigenous	Shrub/Ground Cover	CCRs
Verbena Goodingii	Gooding's Verbena		Medium Small Shrubs	Guidelines
Verbena Peruyian	Peruylan Verbena	Non-Indigenous	Shrub/Ground Cover	CCRs
Verbena Peruyian	Peruvian Verbena		Medium Small Shrubs	Guidelines
Verbena Pulchella	Moss Verbena		Medium Small Shrubs	Guidelines
Verbena Rigida	Sandpaper Verbena	Non-Indigenous	Shrub/Ground Cover	CCRs
Verbena Rigida	Sandpaper Verbena		Medium Small Shrubs	Guidelines
Verbenna Bipinnatifida	Native Verbena	Non-Indigenous	Shrub/Ground Cover	CCRs
Vigna Caracalla	Snail Vine		Vines	Guidelines
Viguiera Deltoidea	Goldeneye	Indigenous	Shrub/Ground Cover	CCRs
Viguiera Deltoidea	Goldeneye		Medium Small Shrubs	Guidelines
Vitex Agnus Castus	Chaste Pepper Tree		Trees	Guidelines
Yucca Baccata	Batanica Yucca	Indigenous	Cacti and Succulents	CCRs
Yucca Baccata	Banana Yucca		Cacti / Accents	Guidelines
Yucca Brevifolia	Joshua Tree		Cacti / Accents	Guidelines
Yucca Elata	Soaptree Yucca	Indigenous	Cacti and Succulents	CCRs
Yucca Elata	Soaptree Yucca		Cacti / Accents	Guidelines
Yucca Rigida	Blue Yucca	Non-Indigenous	Cacti and Succulents	CCRs
Yucca Rigida	Blue Yucca		Cacti / Accents	Guidelines
Yucca Rupicola	Twisted Yucca	Non-Indigenous	Cacti and Succulents	CCRs
Yucca Rupicola	Twisted Yucca		Cacti / Accents	Guidelines
Yucca Schottii	Mountain Yucca	Non-Indigenous	Cacti and Succulents	CCRs
Yucca Scottii	Mountain Yucca		Cacti / Accents	Guidelines
Yucca Thompsoniana	Thompsonn Yucca	Non-Indigenous	Cacti and Succulents	CCRs

Yucca Thompsoniana	Thompson Yucca		Cacti / Accents	Guidelines
Zephyranthes Candida	White Rain Lily	Non-Indigenous	Shrub/Ground Cover	CCRs
Zephyranthes Candida	White Rain Lily		Medium Small Shrubs	Guidelines
Zephyranthes Sulphurea	Yellow Rain Lily	Non-Indigenous	Shrub/Ground Cover	CCRs
Zephyranthes Sulphurea	Yellow Rain Lily		Medium Small Shrubs	Guidelines
Zinnia Acerosa	Desert Zinnia		Medium Small Shrubs	Guidelines
Zizyphuus Obtus Folia	Greythorn	Indigenous	Shrub/Ground Cover	CCRs

Appendix B - Notice of Installation of Antenna or Satellite Dish

Homeowner's Name:				
Homeowner's Mailing Address:				
City:	State:	Zip:	Lot #:	_
Property Address:				
Phone:	Ema	il:		
Television	adcast satellite broadcast distribution service	Diameter Size: Diameter Size: Diameter Size: Diameter Size:		
Company Performing Installation:				
Identify Installation Location: Patio Ba	lcony Roof			
Other:				
Date Installation Performed:				
Please indicate the method of insta	allation			
Will the installation be in compliand applicable building codes)?			e manufacturers	' guidelines
Please provide three days and time installation. At this meeting, you with installation.	Il need to provide inform	ation supporting the n		
1 2				
3.				
Is a mast necessary for reception?	Yes	No		
If yes, is the mast required to exter	nd more than 12 feet abo	ove the roofline?	Yes _	No
I will comply with all of the Associa dishes. I assume liability for any da antenna or satellite dish's installation	amage to Association an	d other owners' prope		
Signed:		Da	ate:	